

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab # 8830711	Repor	t of Analys	is	Report Numb	per: 20-335-4082
Account:	William Torgesor	1		Service A	
57997	Log Gone It LLC			1/4	0_
	4813 MIDMOOR	ROAD		1000	700
	MONONA WI 53	716		Robe	ert Ferris
				Accour	nt Manager
Date Sampled:	2020-11-16			4	329-9871
Date Received:	2020-11-17			COMPOST ROV	
Sample ID:	COMPOST ROW	/ #1			
					Total content,
			Analysis	Analysis	lbs per ton
			(as rec'd)	(dry weight)	(as rec'd)
NUTRIENTS					
Nitrogen					_
Total Nitroge	en	%	0.68	1.61	13.6
Organic Nitr	ogen	%	0.65	1.54	13.1
Ammonium	Nitrogen	%	0.007	0.017	0.1
Nitrate Nitro	gen	%	0.02	0.05	0.4
Major and Seco	•				
Phosphorus		%	0.33	0.78	6.6
Phosphorus	as P2O5	%	0.76	1.79	15.2
Potassium		%	0.49	1.16	9.8
Potassium a	is K2O	%	0.59	1.39	11.8
Sulfur		%	0.21	0.50	4.2
Calcium		%	2.02	4.77	40.4
Magnesium		%	0.62	1.46	12.4
Sodium		%	0.100	0.236	2.0
Micronutrients					
Iron		ppm	4280	10106	8.6
Manganese		ppm	282	666	0.6
Boron		ppm	< 100		
OTHER PROPERTIES					
Moisture		%	57.65		
Total Solids		%	42.35		847.0
Organic		%	19.00	44.86	380.0
Ash	iviatici	%	23.10	54.55	462.0
Total Carbo	2	%			402.0
		%	9.25	21.83	
Chloride		70	0.06	0.14	
pH Conductivity	A.E. (Colubba Calta)	m C/===	7.9		
Conductivity	1:5 (Soluble Salts)	mS/cm	0.58		



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab # 8830711	Biological 8		operties	Report Nun	nber: 20-335-4082
Account:	William Torgeso	n			
57997	Log Gone It LLC	;		1/11	Fess
	4813 MIDMOOF	ROAD		1000	, –
	MONONA WI 53	3716		Rol	bert Ferris
				Client Servi	ce Representative
Date Sampled:	2020-11-16			402	-829-9871
Date Received:	2020-11-17			COMPOST RO	OW #1
Sample ID:	COMPOST ROV	V #1			
	Analys	is Analysis			
	(as rec	d) (dry weight)	Units	Detection Limit	Method
Biological Properties					
Germination	100		%	1	TMECC 05.05A
Germination Vig	or 100		%	1	TMECC 05.05A
CO <sub>2</sub> OM Evolution	on 0.23		mgCO2-C/gO	M/day 0.01	TMECC 05.08B
CO <sub>2</sub> Solids Evol	ution 0.32		mgCO2-C/gT	S/day 0.01	TMECC 05.08B
Fecal Coliform		5662	mpn/g	0.2	EPA 1681
Salmonella		< 0.26	mpn/4g	0.26	EPA 1682
Stability Rating	Stabl	е	N/A	N/A	TMECC 05.08B
Physical Properties	\				)
Bulk Density (Lo	•		lbs/cu yard	1	WT/VOL
Bulk Density (Pa	<u> </u>		lbs/cu yard	1	WT/VOL
Film Plastics	n.d.		%	0.25	Microscopic
Glass Fragment			%	0.25	Microscopic
Hard Plastics	n.d.		%	0.25	Microscopic
Metal Fragment	n.d.		%	0.25	Microscopic
Sharps	Abser				Microscopic
Max. Particle Le		1.5	inches	N/A	TMECC Sieve
Sieve % Passing		100	%	0.01	TMECC Sieve
Sieve % Passing		100	%	0.01	TMECC Sieve
Sieve % Passing		100	%	0.01	TMECC Sieve
Sieve % Passing		100	%	0.01	TMECC Sieve
Sieve % Passing		100	%	0.01	TMECC Sieve
Sieve % Passing		100	%	0.01	TMECC Sieve
Sieve % Passing		53	%	0.01	TMECC Sieve
Sieve % Passing	g 1/4"	35	%	0.01	TMECC Sieve

## Compost Results Interpretations

Page 1

Report #:
DATE RECEIVED:

20-335-4082 2020-11-17

### Organic Matter %

19.00 As Received 44.86 Dry Weight

Greater than 20% indicates a desirable range for compost on a dry weight basis.

2., .. o.g...

Compost is a significant source of Organic Matter, which is an important supplier of carbon. Organic Matter improves soil and plant efficiency by improving soil physical properties, providing a source of energy to beneficial organisms, and enhancing the reservoir of soil nutrients.

### C/N Ratio

13.6:1

20-30 indicates an ideal range for the initial compost process.

10-20 indicates an ideal range for a finished compost.

All organic matter is made up of substantial amounts of carbon with lesser amounts of nitrogen. The balance of these two elements is called the Carbon/Nitrogen Ratio. For the best performance, the compost pile requires the correct proportion of carbon for energy and nitrogen for protein production. If the C:N ratio is too high (excess carbon) decomposition slows down. If the C:N ratio is too low (excess Nitrogen) the compost pile could be difficult to manage.

### Moisture %

57.65

<35% = Indicates overly dry compost

>55% = Indicates overly wet compost

Moisture Percent is the measure of water present in the compost and expressed as a percentage of total weight. Moisture present affects handling and transport. Overly dry will be light and dusty while overly wet will be heavy and clumpy. A desirable moisture content of finished compost will range between 40 to 50%.

Compost Results Interpretations

Page 2

Report #: DATE RECEIVED: 20-335-4082 2020-11-17

Conductivity or Soluble Salts measures the conductance of electrical current in a liquid compost slurry. Excessive soluble salt content in a compost can prevent or delay seed germination and proper root growth. Conductivity analysis is done on a 1:5 basis.

Conductivity 1:5	
0.6	
Conductivity Level	Interpretation
Greater than 10	Very High nutrient content. Use for Ag Applications
5 - 10	High nutrient content. Use for Ag Applications
3 - 5	Higher than desirable for salt sensitive plants, some loss of vigor
0.6 - 3	Desirable range for most plants
0.3 - 0.6	Ideal range for greenhouse growth media
0.0 - 0.3	Very Low: Indicates very low nutrient status: plants may show deficiencies.

# Compost Results Interpretations

Page 3

Report #:
DATE RECEIVED:

20-335-4082

pH Value

7.9

0 to 14 scale with 6 to 8 as normal pH levels for compost

A pH in the 6 to 8 pH range indicates a more mature compost

pH measures the acidity or alkalinity of the compost, and is a measurement of the hydrogen ion activity of a soil or compost on a logarithmic scale. The pH scale ranges from 0 to 14 and 7 indicates a neutral pH. Growing media with a higher pH or pH greater than 7 can benefit from a compost that has a more acidic pH or pH below 7. This type of application will possibly lower the soil pH making the soil more conducive to plants that thrive in a more acidic soil condition.

Nutrient Index (Ag Index)

>10

The Nutrient Index normally runs between 1 and 10.

The Nutrient Index is obtained by dividing the total nutrients (N,P,K) by the amount of salt (Sodium and Chloride). The higher the Nutrient Index the less chance of having a toxic buildup of Sodium (salt) in the soil.

				AC	G INDEX CHA	RT				
salt injury possible			t drainage cha lity and low sa		уои і	may use on so qu	ils with poor d ality, or high s		water	for all soils
1	2	3	4	5	6	7	8	9	10	> 10

Nutrients (N+P205+K20)

4.79 Average Nutrient Content Dry Weight

<2 = Low, >5 = High

0.5-1-0.5 Rating As Received

The most commonly used compost data is the amount of Nitrogen, Phosphate, and Potash (abbreviated as N,P,K) present and the information is similar to that found in common fertilizers. If a compost result has the rating 1-2-2 it means that the compost has 1% Nitrogen, 2% Phosphate and 2% Potash. Most compost tests will have a average nutrient level (N+P+K) of < 5%.

REPORT NUMBER

20-335-4082

Nov 17, 2020 Nov 30, 2020



PAGE 6/6

Nov 30, 2020

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 www.midwestlabs.com

**COMPOST ROW #1** For: (57997) Log Gone It LLC

# REPORT OF ANALYSIS

William Torgeson

Log Gone It LLC

**MONONA WI 53716 4813 MIDMOOR ROAD** 

	Level Found	ound		Reporting		Analyst-	Verified-
Analysis	As Received Dry Weight Units Limit	Dry Weight	Units	Limit	Method	Date	Date
Sample ID: COMPOST ROW #1	Lab Number: <b>8830711</b>	Date Sa	ampled: <b>20</b> :	Date Sampled: 2020-11-16 1200	200		
Cadmium (total)	< 0.50	0.53	mg/kg	0.50	mg/kg 0.50 EPA 6010	ery3-2020/11/19 trh1-2020/11/23	trh1-2020/11/23
	2		=				

Sample ID: COMPOST ROW #1	Lab Number: <b>8830711</b>	Date Sa	Date Sampled: 2020-11-16 1200	20-11-16 12	200		
Cadmium (total)	< 0.50	0.53	mg/kg	0.50	EPA 6010	ery3-2020/11/19	trh1-2020/11/23
Chromium (total)	6.01	14.2	mg/kg	1.00	EPA 6010	ery3-2020/11/19	trh1-2020/11/23
Mercury (total)	< 0.05	< 0.05	mg/kg	0.05	EPA 7471	pjd8-2020/11/20 trh1-2020/11/23	trh1-2020/11/23
Lead (total)	< 5.0	8.7	mg/kg	5.0	EPA 6010	ery3-2020/11/19	trh1-2020/11/23
Molybdenum (total)	< 1.0	1.6	mg/kg	1.0	EPA 6010	ery3-2020/11/19	trh1-2020/11/23
Nickel (total)	8.1	19.1	mg/kg	1.0	EPA 6010	ery3-2020/11/19	trh1-2020/11/23
Selenium (total)	< 10.0	< 10.0	mg/kg	10.0	EPA 6010	ery3-2020/11/19	trh1-2020/11/23
Zinc (total)	88.5	208.9	mg/kg	2.0	EPA 6010	ery3-2020/11/19	trh1-2020/11/23
Copper (total)	47.8	113	mg/kg	<b>_</b>	EPA 6010	ery3-2020/11/19	trh1-2020/11/23
Arsenic (total)	1.46	3.44	mg/kg	0.5	EPA 6020	ras7-2020/11/23	trh1-2020/11/23

EPA 1682 holding time of < 6 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. If a level of Salmonella was reported, the value would be considered an estimate. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements ppm = parts per million, ppm = mg/kg

For questions please contact:

Stacie Nelson
Senior Account Manager
Snelson@midwestlabs.com (402)829-9840
The result(s) issued on this report only reflect the analysis of the sample(s) submitted.